



# 2026-2027 CATALOG

TAICANG TEC INTERNATIONAL TRADING



# ABOUT US · LINK TO PERFECTION

## 核心价值

TEC钛克品牌始于1993年，由KMC桂盟集团创建并完全控股。专注于自行车链条、电动车链条和卷闸门链条等通用链条的生产与销售。产品销往中国各地和112个国家，深受市场认可和消费者喜爱。

**品质:**产品符合ISO9001质量管理体系标准，经过各种测试和验证，保证在苛刻条件下表现出色。

**创新:**与1000多家国内外品牌商和合作伙伴紧密合作，不断研发创新，提供高质量的产品。

**可靠性:**严格控制产品设计和制造过程，确保每条链条都能稳定可靠地运行，与国内外自行车品牌商合作，共同开发联名产品。

生产基地分布于中国、台湾和越南，拥有独立研发和制造技术，全程采用ISO9001质量管理体系标准，年产能达3000万条。TEC钛克以优质产品、持续创新和优质客户服务为全球客户提供专业解决方案。

## CORE VALUES

Founded in 1993 by the KMC Group, TEC is wholly owned by the group and specializes in manufacturing and marketing bicycles, e-bikes, and Garage door chains. TEC chain is distributed across China and 112 countries worldwide, earning acclaim and consumer preference.

**QUALITY:** TEC chain products adhere to ISO 9001 standards, ensuring reliability and durability even under strenuous conditions through rigorous testing.

**INNOVATION:** TEC fosters innovation through collaboration with over 1000 domestic and foreign partners, employing a skilled technical team to develop new products and technologies.

**RELIABILITY:** TEC ensures stable and reliable chain operation through stringent design and manufacturing controls, delivering top performance across various applications and co-branded products.














# PRODUCTION PLANTS

## 全球生产基地



# FUNCTION

## 性能优势

-  Lightweight Design  
轻量化设计
-  Stretch Proof Treatment  
卓越耐久性
-  Mushroomed Riveting Tech  
蕈状铆接合技术
-  Countersink Riveting Tech  
隐沉式精密铆合技术
-  Double "D" Bridge  
欧翼桥型
-  "M" Bridge Outer Plate  
碟翼桥型
-  Double Inner Bridge  
双内桥型
-  Roller Link Plate Chamfering  
内链片导角
-  Pin Link Plate Chamfering  
外链片导角
-  Heavy Duty Structure  
HX强化结构
-  Heavy Duty Plate  
强化型链片
-  Internal Gear Hub  
内变速系统适用
-  RustBuster Function  
抗锈加强
-  Anti-Drop Design  
防掉链设计
-  Square-Edge Riveting  
四方角铆合技术
-  Diagonal Riveting  
对称角铆合技术



SHARK 13



STARRY

## NEW PRODUCT OVERVIEW 新产品总览

SHARK 13

产品详情请跳至PAGE04

GT-QZ

产品详情请跳至PAGE06

GT-13

产品详情请跳至PAGE09

CTH-1

产品详情请跳至PAGE15



GT-QZ



CTH-1

# SHARK 13 **NEW**

## 13 SPEED



### SPECIFICATION

#### 产品参数

Size: 1/2" x 11/128"

Speed of Sprocket: 13

Color: Ti-N Golden/Ti-N Golden,  
Silver/Silver, Silver/Dark Silver

Strengthened durability, Enhanced PinPower

Superior shifting efficiency

Ave. PinPower: 250KGF

Ave. Tensile Strength: 920KGF

尺寸: 1/2" x 11/128"

速别: 13

颜色: 镀钛金/镀钛金, 镀银/镀银, 镀银/深银

耐磨耗效能强化、优越小轴嵌合力

卓越换档效率

平均嵌合力: 250 公斤力

平均拉力: 920 公斤力



# SHARK 12 **NEW**

## 12 SPEED



### SPECIFICATION

#### 产品参数

Size: 1/2" x 11/128"  
Speed of Sprocket: 12  
Color: Ti-N Golden/Ti-N Golden,  
Silver/Silver, Silver/Dark Silver  
Strengthened durability, Enhanced PinPower  
Superior shifting efficiency  
Ave. PinPower: 250KGF  
Ave. Tensile Strength: 920KGF



尺寸: 1/2" x 11/128"  
速别: 12  
颜色: 镀钛金/镀钛金, 镀银/镀银, 镀银/深银  
耐磨耗效能强化、优越小轴嵌合力  
卓越换挡效率  
平均嵌合力: 250 公斤力  
平均拉力: 920 公斤力

# SHARK 11 **NEW**

## 11 SPEED



### SPECIFICATION

#### 产品参数

Size: 1/2" x 11/128"  
Speed of Sprocket: 11  
Color: Ti-N Golden/Ti-N Golden,  
Silver/Silver, Silver/Dark Silver  
Strengthened durability, Enhanced PinPower  
Superior shifting efficiency  
Ave. PinPower: 250KGF  
Ave. Tensile Strength: 920KGF



尺寸: 1/2" x 11/128"  
速别: 11  
颜色: 镀钛金/镀钛金, 镀银/镀银, 镀银/深银  
耐磨耗效能强化、优越小轴嵌合力  
卓越换挡效率  
平均嵌合力: 250 公斤力  
平均拉力: 920 公斤力



# GT-Qz11 **NEW**

## 11-9 SPEED



### SPECIFICATION

#### 产品参数

Size: 1/2" x 11/128"

Speed of Sprocket: 11-9

Color: Silver/Silver

Strengthened durability, Enhanced PinPower

Superior shifting efficiency

Ave. PinPower: 250KGF

Ave. Tensile Strength: 920KGF



尺寸: 1/2" x 11/128"

速别: 11-9

颜色: 镀银/镀银

耐磨耗效能强化、优越小轴嵌合力

卓越换挡效率

平均嵌合力: 250 公斤力

平均拉力: 920 公斤力



# GT-Qz9 **NEW**

## 10-9 SPEED



### SPECIFICATION

#### 产品参数

Size: 1/2" x 11/128"

Speed of Sprocket: 10-9

Color: Dark Silver/Dark Silver

Strengthened durability, Enhanced PinPower

Superior shifting efficiency

Ave. PinPower: 200KGF

Ave. Tensile Strength: 920KGF



尺寸: 1/2" x 11/128"

速别: 10-9


颜色: 深银/深银

耐磨耗效能强化、优越小轴嵌合力

卓越换挡效率

平均嵌合力: 200 公斤力


平均拉力: 920 公斤力



# STARRY 星彩系列

12-8 SPEED

GT-12 | GT-11 | GT-10 | GT-9 | CT-8



- Where Durability Meets Brilliance.
- Built Tough. Stays Flawless.
- Eco-Friendly, Zero Compromise.

- 耐刮性与耐腐蚀
- 金属光泽饱满持久
- 环境友善工艺



Galaxy Blue 银河蓝



Imperial Green 帝王绿



Sakura Pink 樱花粉



※12-11 speed packag with mini chain tool. ※12-11速精装包装内含迷你截链器


Ride Your Style.  
Own the Color.



# MIRAGE 幻魅系列

12-8 SPEED

GT-12 | GT-11 | GT-10 | GT-9 | CT-8



- Where Durability Meets Brilliance.
- Built Tough. Stays Flawless.
- Eco-Friendly, Zero Compromise.
- 耐刮性与耐腐蚀
- 金属光泽饱满持久
- 环境友善工艺



Pearl Gold 珍珠金



Dream Purple 梦幻紫



Gunmetal Gray 枪黑灰



Samurai Black 黑武士



Sky Blue 晴空蓝



Peacock Blue 孔雀蓝



※ 12-11 speed packag with mini chain tool. ※ 12-11速精装包装内含迷你截链器



# GT-13 **NEW**

## 13 SPEED



### SPECIFICATION

#### 产品参数

Size: 1/2" x 11/128"

Speed of Sprocket: 13

Color: Ti-N Golden/Ti-N Golden,  
Silver/Silver, Silver/Dark Silver

Strengthened durability, Enhanced PinPower

Superior shifting efficiency

Ave. PinPower: 250KGF

Ave. Tensile Strength: 920KGF

尺寸: 1/2" x 11/128"

速别: 13


颜色: 镀钛金/镀钛金, 镀银/镀银, 镀银/深银

耐磨耗效能强化、优越小轴嵌合力

卓越换挡效率

平均嵌合力: 250 公斤力

平均拉力: 920 公斤力



# GT-12

## 12 SPEED



### SPECIFICATION

#### 产品参数

Size: 1/2" x 11/128"

Speed of Sprocket: 12

Color: Ti-N Golden/Ti-N Golden,  
Silver/Silver, Silver/Dark Silver

Strengthened durability, Enhanced PinPower

Superior shifting efficiency

Ave. PinPower: 250KGF

Ave. Tensile Strength: 920KGF

尺寸: 1/2" x 11/128"

速别: 12

颜色: 镀钛金/镀钛金, 镀银/镀银, 镀银/深银

耐磨耗效能强化、优越小轴嵌合力

卓越换挡效率

平均嵌合力: 250 公斤力

平均拉力: 920 公斤力



# GT-11

## 11 SPEED



### SPECIFICATION

#### 产品参数

Size: 1/2" x 11/128"

Speed of Sprocket: 11

Color: Ti-N Golden/Ti-N Golden,  
Silver/Silver, Silver/Dark Silver

Strengthened durability, Enhanced PinPower

Superior shifting efficiency

Ave. PinPower: 250KGF

Ave. Tensile Strength: 920KGF

尺寸: 1/2" x 11/128"

速别: 11

颜色: 镀钛金/镀钛金, 镀银/镀银, 镀银/深银

耐磨耗效能强化、优越小轴嵌合力

卓越换挡效率

平均嵌合力: 250 公斤力

平均拉力: 920 公斤力



# GT-10

## 10 SPEED



### SPECIFICATION

#### 产品参数

Size: 1/2" x 11/128"

Speed of Sprocket: 10

Color: Silver/Silver, Silver/Dark Silver

Strengthened durability, Enhanced PinPower

Superior shifting efficiency

Ave. PinPower: 200KGF

Ave. Tensile Strength: 920KGF

尺寸: 1/2" x 11/128"

速别: 10

颜色: 镀银/镀银, 镀银/深银

耐磨耗效能强化、优越小轴嵌合力

卓越换挡效率

平均嵌合力: 200 公斤力

平均拉力: 920 公斤力



# GT-9

## 9 SPEED



### SPECIFICATION

#### 产品参数

Size: 1/2" x 11/128"

Speed of Sprocket: 9

Color: Silver/Silver, Dark Silver/Brown

Strengthened durability, Enhanced PinPower

Superior shifting efficiency

Ave. PinPower: 200KGF

Ave. Tensile Strength: 920KGF

尺寸: 1/2" x 11/128"

速别: 9

颜色: 镀银/镀银, 深银/棕

耐磨耗效能强化、优越小轴嵌合力

卓越换挡效率

平均嵌合力: 200 公斤力

平均拉力: 920 公斤力



# CT-8

## 8 SPEED



### SPECIFICATION

#### 产品参数

Size: 1/2" x 3/32"

Speed of Sprocket: 8

Color: Silver/Bule, Bule/Bule

Superior shifting efficiency

Ave. PinPower: 120KGF

Ave. Tensile Strength: 840KGF

尺寸: 1/2" x 3/32"

速别: 8

颜色: 镀银/深蓝, 深蓝/深蓝

卓越换档效率

平均嵌合力: 120 公斤力

平均拉力: 840 公斤力



# CT-7

## 7 SPEED



### SPECIFICATION

#### 产品参数

Size: 1/2" x 3/32"

Speed of Sprocket: 7

Color: Dark Silver/Dark Silver

Superior shifting efficiency

Ave. PinPower: 120KGF

Ave. Tensile Strength: 840KGF

尺寸: 1/2" x 3/32"

速别: 7

颜色: 深银/深银

卓越换档效率

平均嵌合力: 120 公斤力

平均拉力: 840 公斤力



# C 30

## 5-6 SPEED



### SPECIFICATION

#### 产品参数

Size: 1/2" x 3/32"

Speed of Sprocket: 5-6

Color: Silver/Silver, Silver/Brown, Brown/Brown

Superior shifting efficiency

Ave. PinPower: 110KGF

Ave. Tensile Strength: 840KGF

尺寸: 1/2" x 3/32"

速别: 5-6

颜色: 镀银/镀银, 镀银/棕, 棕/棕

换挡效率强化

平均嵌合力: 110 公斤力

平均拉力: 840 公斤力



# C 410

## 1 SPEED



### SPECIFICATION

#### 产品参数

Size: 1/2" x 1/8"

Speed of Sprocket: 1

Color: Silver/Silver, Dark Silver/Matte Black

Ave. PinPower: 110KGF

Ave. Tensile Strength: 840KGF

尺寸: 1/2" x 1/8"

速别: 1

颜色: 镀银/镀银, 深银/亚黑

平均嵌合力: 110 公斤力

平均拉力: 840 公斤力



# CTH-1 **NEW**

## 1 SPEED




### SPECIFICATION

#### 产品参数

Size: 1/2" x 1/8"  
Speed of Sprocket: 1  
Color: Silver/Silver, Silver/Blue  
Heavy Duty Structure, Anti-drop design  
Ave. PinPower: 200KGF  
Ave. Tensile Strength: 1050KGF

尺寸: 1/2" x 1/8"  
速别: 1  
颜色: 镀银/镀银, 镀银/深蓝  
HX强化结构, 防掉链设计  
平均嵌合力: 200 公斤力  
平均拉力: 1050 公斤力



# CT-1HX



## 1 SPEED

### SPECIFICATION

#### 产品参数

Size: 1/2" x 1/8"  
 Speed of Sprocket: 1  
 Color: Silver/Silver  
 Heavy Duty Structure, Anti-drop design  
 Ave. PinPower: 200 KGF  
 Ave. Tensile Strength: 1050 KGF



尺寸: 1/2" x 1/8"  
 速别: 1  
 颜色: 镀银/镀银  
 HX强化结构, 防掉链设计  
 平均嵌合力: 200 公斤力  
 平均拉力: 1050 公斤力



# CT-1H



## 1 SPEED

### SPECIFICATION

#### 产品参数

Size: 1/2" x 1/8"  
 Speed of Sprocket: 1  
 Color: Blue/Blue  
 Heavy plate, Anti-drop design  
 Ave. PinPower: 140 KGF  
 Ave. Tensile Strength: 950 KGF



尺寸: 1/2" x 1/8"  
 速别: 1  
 颜色: 深蓝/深蓝  
 强化厚链片, 防掉链设计  
 平均嵌合力: 140 公斤力  
 平均拉力: 950 公斤力



# CT-1



## 1 SPEED

### SPECIFICATION

#### 产品参数

Size: 1/2" x 1/8"  
 Speed of Sprocket: 1  
 Color: Brown/Brown  
 Anti drop design  
 Ave. PinPower: 110 KGF  
 Ave. Tensile Strength: 840 KGF



尺寸: 1/2" x 1/8"  
 速别: 1  
 颜色: 棕/棕  
 防掉链设计  
 平均嵌合力: 110 公斤力  
 平均拉力: 840 公斤力



# BMX & Fixie

## Colorfull 彩链系列



## Viva 玩美系列



Silver/Green 银绿

## Starry 星彩系列



Galaxy Blue 银河蓝



Imperial Green 帝王绿



Sakura Pink 樱花粉

## Mirage 幻魅系列



Pearl Gold 珍珠金



Dream Purple 梦幻紫



Gunmetal Gray 枪黑灰



Samurai Black 黑武士



Sky Blue 晴空蓝



Peacock Blue 孔雀蓝

Option: Unique color customization. 客制: 各式色彩皆可客制于全速别13速-单速规格

## RustBuster 达克锈

### GT-10

Size: 1/2" x 11/128"  
Speed of Sprocket: 10  
Color: RB

尺寸: 1/2" x 11/128"  
速别: 10  
颜色: 灰白



### GT-9

Size: 1/2" x 11/128"  
Speed of Sprocket: 9  
Color: RB

尺寸: 1/2" x 11/128"  
速别: 9  
颜色: 灰白



### GT-8

Size: 1/2" x 3/32"  
Speed of Sprocket: 8  
Color: RB

尺寸: 1/2" x 3/32"  
速别: 8  
颜色: 灰白



### C410

Size: 1/2" x 1/8"  
Speed of Sprocket: 1  
Color: RB

尺寸: 1/2" x 1/8"  
速别: 1  
颜色: 灰白




Option: 10 speed to 1speed can be customized for anti-rust. 客制: 10速-单速规格皆可客制达克锈

#### RB anti-rust coating Surpasses 500 hour salt spray test

Durable anti-rust coating from a unique surface treatment that surpasses 500 hour Salt Spray Test. Compliant with EU and US RoHS environmental regulations.

独特表面耐用防锈涂层, 耐受超过500小时的盐雾试验。符合欧盟和美国RoHS环境法规



RoHS Restriction of Hazardous Substances Directive

## BIKE CHAIN CLEANER 深层链条清洗剂

Step 1



Size: 740ml

- Easy-to-Use Solvent:
- Multi-Surface Safe
- Biodegradable

容量: 740ml

- 中性配方PH7
- 溶剂型使用简单
- 适用于多种材料表面
- 易生物降解

## BIKE CHAIN CLEANER 水基链条清洗剂

Step 2



Size: 740ml

- Purified Water Formula
- Powerful Actives
- Acid & Alkali-Free

容量: 740ml

- 纯水基底混和复合清洁配方
- 高效能活性成分, 迅速分解油污
- 无酸碱成分, 符合安全使用

## BIKE FRAME CLEANER WASH & WAX 二合一洗车液

Step 3



Size: 740ml

- Purified Water Formula:
- Brazilian Carnauba Wax
- Plant-Based Extracts

容量: 740ml

- 纯水基底混和复合清洁配方
- 巴西棕榈蜡配方
- 自然植物萃取物

MIXBAR

CLEAN &  
LUBE

## CERAMIC TiO2 ENDURO RACE LUBE

耐力赛链条油



120ml

12ml

Size: 120ml, 12ml

- Friction Reducing
- Anti-Wear
- Long Lasting

容量: 120ml, 12ml

- 2倍黏度, 高黏附力,
- 适用耐力赛事、潮湿及雨天环境
- 纳米粒子强化表面薄膜耐久度。

## CERAMIC TiO2 All-Time CHAIN LUBE

陶瓷钛链条油



120ml

12ml

Size: 120ml, 12ml

- Friction Reducing
- Anti-Wear
- Easy-To-Clean

容量: 120ml, 12ml

- 纳米粒子强化表面薄膜耐久度。
- 动态润滑, 离心动力均匀扩散厚度。
- 灰尘不易附着, 保养简单容易。

## WAX ADMIXTURE LUBE

复方链条蜡



120ml

12ml

Size: 120ml, 12ml

- Reduce Friction
- Low Wear
- Quick Dry
- Easy-To-Clean

容量: 120ml, 12ml

- 高渗透蜡膜科技全面包覆。
- 抗磨润滑膜, 耐高负荷低磨损性能。
- 干式中性配方, 灰尘不易附着。





**TAICANG TEC INTERNATIONAL TRADING CO., LTD.**

---

NO 381 XINGYE NORTH ROAD, TAICANG CITY,JIANGSU, CHINA.

Email: [tecweb@tecchain.com](mailto:tecweb@tecchain.com)

powered by  Group